U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

Federal Emergency Management Agency
National Flood Insurance Program

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expires March 31, 2012

	SECTION A - PROPERTY INFORM	
A1. Building Owner's Name City of Albany		Policy Number
A2. Building Street Address (including Apt., Unit, Suite, 509 American lane	c. Company NAIC Number	
City Albany State GA ZIP Code 31701		
A3. Property Description (Lot and Block Numbers, Tax 12/00006/041	Parcel Number, Legal Description, etc.)	
A4. Building Use (e.g., Residential, Non-Residential, Ac A5. Latitude/Longitude: Lat. 31d 32' 6.27"N Long. 84d A6. Attach at least 2 photographs of the building if the CA7. Building Diagram Number 8 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspenclosure(s) within 1.0 foot above adjacent graves. Total net area of flood openings in A8.b d) Engineered flood openings? Yes □	109' 31.815'W	Horizontal Datum: NAD 1927 NAD 1983 ance. uilding with an attached garage: uare footage of attached garage 426 sq ft of permanent flood openings in the attached garage nin 1.0 foot above adjacent grade 3 al net area of flood openings in A9.b 450 sq in gineered flood openings? No
SECTION B - F	LOOD INSURANCE RATE MAP (FIRE	I) INFORMATION
B1. NFIP Community Name & Community Number ALBANY 130075	B2. County Name DOUGHERTY	B3. State Georgia
B4. Map/Panel Number B5. Suffix B6. FIRI 13095C0116 E Da September	ate Effective/Revised Date	B8. Flood B9. Base Flood Elevation(s) (Zone Zone(s) AO, use base flood depth) AE 181.0
☐ FIS Profile ☐ FIRM ☐ Commu 311. Indicate elevation datum used for BFE in Item B9: 12. Is the building located in a Coastal Barrier Resource Designation Date		Other (Describe)
SECTION C - BUIL	DING ELEVATION INFORMATION (S	URVEY REQUIRED)
*A new Elevation Certificate will be required when co	/E, V1-V30, V (with BFE), AR, AR/A, AR/AE Item A7. Use the same datum as the BFE.	
*A new Elevation Certificate will be required when co C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), V below according to the building diagram specified in Benchmark Utilized <u>COA GPS 268</u> Vertical Datum <u>N</u> Conversion/Comments	onstruction of the building is complete. /E, V1-V30, V (with BFE), AR, AR/A, AR/AE Item A7. Use the same datum as the BFE. NAVD 1988	, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Check the measurement used.
*A new Elevation Certificate will be required when co 22. Elevations – Zones A1-A30, AE, AH, A (with BFE), V below according to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum N	postruction of the building is complete. /E, V1-V30, V (with BFE), AR, AR/A, AR/AE Item A7. Use the same datum as the BFE. NAVD 1988 space, or enclosure floor) 180.00	, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h
*A new Elevation Certificate will be required when co Elevations – Zones A1-A30, AE, AH, A (with BFE), V below according to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum N Conversion/Comments a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment see (Describe type of equipment and location in Cor	postruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE Item A7. Use the same datum as the BFE. NAVD 1988 Pace, or enclosure floor) 180.00	AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Check the measurement used. It meters (Puerto Rico only)
*A new Elevation Certificate will be required when concerning to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum Matter Conversion/Comments	postruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, Item A7. Use the same datum as the BFE. NAVD 1988 Space, or enclosure floor) 180.00	AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Check the measurement used. It meters (Puerto Rico only)
*A new Elevation Certificate will be required when concerning to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum Materials Conversion/Comments a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building d) Highest adjacent grade at lowest elevation of destructural support	postruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, Item A7. Use the same datum as the BFE. NAVD 1988 Space, or enclosure floor) 180.00	AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Check the measurement used. It meters (Puerto Rico only)
*A new Elevation Certificate will be required when concerning to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum Materials Conversion/Comments a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building d) Highest adjacent grade at lowest elevation of destructural support	prostruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, Item A7. Use the same datum as the BFE. NAVD 1988 Pace, or enclosure floor) 180.00	Check the measurement used. It meters (Puerto Rico only)
*A new Elevation Certificate will be required when concerning to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum Memory Conversion/Comments a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building g) Highest adjacent (finished) grade next to building h) Lowest adjacent grade at lowest elevation of destructural support SECTION D - SUF	prostruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, Item A7. Use the same datum as the BFE. NAVD 1988 Pace, or enclosure floor) 180.00	Check the measurement used. Check the measurement used.
*A new Elevation Certificate will be required when co C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), V below according to the building diagram specified in Benchmark Utilized COA GPS 268Vertical Datum N Conversion/Comments a) Top of bottom floor (including basement, crawls b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Cor f) Lowest adjacent (finished) grade next to building g) Highest adjacent (finished) grade next to building h) Lowest adjacent grade at lowest elevation of de structural support SECTION D - SUF This certification is to be signed and sealed by a land su information. I certify that the information on this Certification and that any false statement may be punishable Check here if comments are provided on back of for	postruction of the building is complete. VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, Item A7. Use the same datum as the BFE. NAVD 1988 Space, or enclosure floor) 180.00	Check the measurement used. Check the measurement used.

	copy the corresponding information f		For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 509 American Lane			Policy Number
City AlbanyState GA ZIP Code 317	'01		Company NAIC Number
SECTION	D - SURVEYOR, ENGINEER, OR ARC	CHITECT CERTIFICATION (C	ONTINUED)
	ficate for (1) community official, (2) insurance		Control of the Contro
Comments Engineered vents for this conventional vent (50 SF)installed with	dwelling are to be Smart Vent Model 1540-5	10. Two smart vents in stalled in	garage (200 SF each) and one
A	futchineal	ž	
Signature		ate 5-3-2012	57 Ohaali hara if allaahii anta
SECTION E . BUILDING ELE	VATION INFORMATION (SURVEY NO	T REQUIRED) FOR ZONE AC	O AND ZONE A (WITHOUT BFE)
and C. For Items E1-E4, use natural get. Provide elevation information for grade (HAG) and the lowest adjacent a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-9 with provided (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth ordinance?	basement, crawlspace, or enclosure) isbasement, crawlspace, or enclosure) is bermanent flood openings provided in Section of the building is feet meters ad/or equipment servicing the building is number is available, is the top of the bottom] Unknown. The local official must certify the	used. In Puerto Rico only, enter res to show whether the elevation	meters. is above or below the highest adjacent above or below the HAG. above or below the LAG9 of Instructions), the next higher floor the HAG. above or below the HAG. the community's floodplain management
and the last of th	F - PROPERTY OWNER (OR OWNER		
The property owner or owner's authoric or Zone AO must sign here. The state Property Owner's or Owner's Authorize	zed representative who completes Sections a ments in Sections A, B, and E are correct to ed Representative's Name	A, B, and E for Zone A (without a the best of my knowledge.	FEMA-issued or community-issued BFE)
Address	City	State	ZIP Code
Signature	Date	Tele	phone
Comments			
			☐ Check here if attachments
	SECTION G - COMMUNITY INF		
The local official who is authorized by la	w or ordinance to administer the community's plete the applicable item(s) and sign below.	s floodplain management ordinand Check the measurement used in	ce can complete Sections A, B, C (or E), Items G8 and G9.
31. The information in Section C	was taken from other documentation that has elevation information. (Indicate the source a	been signed and sealed by a lice	ensed surveyor, engineer, or architect who
32. A community official complete	d Section E for a building located in Zone A	(without a FEMA-issued or commo	
	ns G4-G9) is provided for community floodpl		
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of C	ompliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substanti	al Improvement	7
38. Elevation of as-built lowest floor (in	ncluding basement) of the building:	Geet meters (PR) Da	
39. BFE or (in Zone AO) depth of floor	57	feet meters (PR) Da	discrete Court of the Court of
G10. Community's design flood elevatio	n	Geet meters (PR) Da	atum
Local Official's Name	5 9	Title	
Community Name		Telephone	Type of the second seco
Signature		Date	·
Comments		umanakere andakere et anda an araban an araban a	<u> </u>
8			
			Check here if attachments

Building Photographs See Instructions for Item A6.

For Insurance Company Use: **Policy Number**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 509 American Lane

State GA ZIP Code 31701

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page,

following.

City Albany



FRONT VIEW

May 2, 2012



LEFT SIDE VIEW

May 2, 2012

Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 509 American Lane	Policy Number
City Albany State GA ZIP Code 31701	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



LEFT SIDE ELEVATION May 3, 2012



RIGHT SIDE ELEVATION May 3, 2012