## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 1999

## FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE						
BUILDING OWNER'S NAME							
Harry Prisant		432–7611 Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					
		Number) OH P.O. F	NOUTE AND BOX NUMBER		COMPANY NAIC NUMBER		
THER DESCRIPTION (Lot and E	Block Numbers, etc.)						
	vision of Lot	s 29-34 o	f Idle Hour Subd	ivision STATE	ZIP CODE		
Albany			•	Georgia	31707		
ALDANY	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)				
rovide the following from t	ne proper FIRM (See	Instructions):					
1, COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	A ZONE 6. BASE FLOOD ELEVATION		
130074	0010	A	4/17/78	A-14	(in AO Zones, use depth) 192.0		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 3. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Lilling Steel NGVD (or other FIRM datum—see Section B, Item 7).							
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION			
the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accc. Indicate the elevation da under Comments on Pacthe FIRM [see Section equation under Comments)	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the computer system used in a ge 2). (NOTE: If the B, Item 7], then convents on Page 2.)	d as the reference discent to the branch level from the branch ling. If no flood munity's flood pletermining the elevation daturent the elevation	of the lowest horizontal structure in the selected puilding.  In the selected diagram is a depth number is available lain management ordinant above reference level elements to the datum system united the system of the selected diagram is above reference level elements to the datum system united in the system of the system	at datum—see S d diagram is  le, is the building ce? Yes  evations:  NG elevations is diffe sed on the FIRM	L feet above or  above or below (check )'s lowest floor (reference)  No Unknown  VD '29 Other (describe)		
I. Elevation reference mar							
5. The reference level elevation is based on: A construction construction construction drawings  (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)							
6. The elevation of the lower Section.B, Item 7).	est grade immediately	adjacent to th	ne building is:     189	l.[0] feet NGVD	(or other FIRM datum-see		
	S	ECTION D C	OMMUNITY INFORMATION	ON			
is not the "lowest floor" a	as defined in the compordinance is:	munity's floodp	lain management ordinan NGVD (or other FIRM dat	ce, the elevation	ndicated in Section C, Item 1 n of the building's "lowest B, Item 7).		


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
Charles R. Hutchinson	GA PLS 2639						
TITLE	COMPANY NAME						
C.E. Project Manager	City of	Alban <del>y</del>					
ADDRESS	СПҮ		STA	TE ZIP			
P.O. Box 447 0 11	Albany		Ga	31702-0447			
SIGNATURE (1) Warles K. Sutch	Mall	DATE 2/6/98	PHONE 912-883-				
Copies should be made of this Certificate for	or: 1) community official, 2	) insurance agent/	company, and 3) b	uilding owner.			
COMMENTS:							
		<u> </u>					
			7				
		١.					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.